



AVON **TYRES**

V-Twin/Custom Tire Brochure

(02)9555 1000

www.balmainmotorcycles.com.au




Storm 2 Ultra

- Performance plus mileage
- Storm 2 Ultra is an evolution of our award winning Storm range giving you more mileage and more grip
- Multi compound Super Rich Silica (SRS) treads give rear tyres an extra 12% mileage
- New technology is incorporated in the 0 degree belting system, improving dynamic stresses within the carcass
- This new technology not only increases mechanical grip, giving improved traction in both the wet and dry, but it also enhances handling and ride comfort

Cobra

- Aimed at the power cruiser/touring/custom market
- Incorporates sports tyre technology for nimble handling
- Incredible stability and longevity – perfect for touring
- Extra wide sizes for custom bikes
- Additional sizes for 2012





Storm 2 Ultra

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Storm 2 Ultra AV55 Front									
90000001119	4556117	120/70ZR17	(58W)	MT3.50	3.50 - 3.75	118 / 4.6	603 / 23.7	3.8	546 / 873.6
Storm 2 Ultra AV56 Rear									
90000001125	4566413	160/70R17*	79V	MT4.50	4.25 - 5.00	166 / 6.5	654 / 25.7	6.8	513 / 820.8
90000001127	4566717	180/55ZR17	(73W)	MT5.50	5.50 - 6.00	188 / 7.4	627 / 24.7	6.8	540 / 864.0



Cobra

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Cobra AV71 Front									
90000001172	4710018	MH90-21*	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766.4
90000001417	4710210	MH90-21**	56V	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766.4
90000001364	4710213	MT90B-16*	74H	3.00D	2.50 - 3.50	136 / 5.4	638 / 25.1	5.2	523 / 836.8
90000001368	4710215	MT90B-16**	74H	3.00D	2.50 - 3.50	136 / 5.4	638 / 25.1	5.2	523 / 836.8
90000001341	4710211	100/90-19	57H	MT2.50	2.15 - 2.75	109 / 4.3	662 / 26.1	5.2	500 / 800.0
90000001342	4710212	100/90-19**	57H	MT2.50	2.15 - 2.75	109 / 4.3	662 / 26.1	5.2	500 / 800.0
90000001168	4710013	120/70ZR19	(60W)	MT3.50	3.50 - 3.75	123 / 4.8	649 / 25.6	4.7	523 / 836.8
90000000746	2710097	120/70-21*	68V	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747.3
90000001173	4710019	130/80B17	65H	MT3.00	2.50 - 3.50	130 / 5.1	638 / 25.1	4.8	520 / 832.0
90000001167	4710012	130/70R18	63H	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827.2
90000001174	4710110	130/70R18	63V	MT3.50	3.50 - 4.00	128 / 5.0	647 / 25.5	4.7	517 / 827.2
90000001421	4710111	140/75R17	67V	MT3.50	3.50 - 4.25	145 / 5.7	640 / 25.2	4.8	518 / 828.8

Cobra AV72 Rear

90000001380	4700213	MT90B16*	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835.2
90000001384	4700215	MT90B16**	74H	3.00D	2.50 - 3.50	133 / 5.2	638 / 25.1	8.7	522 / 835.2
90000001386	4700216	140/90B16*	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 828.8
90000001430	4700217	140/90B16**	77H	MT3.50	2.75 - 3.75	143 / 5.6	649 / 25.6	8.7	518 / 828.8
90000001432	4700218	150/80B16*	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 828.8
90000001433	4700219	150/80B16**	77V	MT3.50	3.00 - 4.25	157 / 6.2	640 / 25.2	7.2	518 / 828.8
90000001418	4700112	180/60R16*	80H	MT5.00	5.00 - 5.50	182 / 7.2	630 / 24.8	8.4	522 / 835.2
90000001164	4700022	180/65B16*	81H	MT5.00	4.25 - 5.50	185 / 7.3	635 / 25.0	8.3	515 / 824.0
90000001156	4700014	180/55ZR18	(74W)	MT5.50	5.50 - 6.00	184 / 7.2	655 / 25.8	6.6	514 / 822.4
90000001155	4700013	200/55R17	78V	MT6.25	6.00 - 6.50	198 / 7.8	658 / 25.9	6.8	513 / 820.8
90000001157	4700015	200/55VR18	(79V)	MT6.25	6.00 - 6.50	198 / 7.8	679 / 26.7	6.8	488 / 780.3
90000001163	4700021	240/50R16	84V	MT7.50	7.00 - 8.00	238 / 9.4	650 / 25.6	7.2	509 / 814.4
90000001161	4700019	240/40VR18	(79V)	MT8.50	8.00 - 9.00	238 / 9.4	648 / 25.5	9.2	509 / 814.4
90000001158	4700016	250/40VR18	(81V)	MT9.00	8.50 - 9.50	251 / 9.9	655 / 25.8	6.6	514 / 822.4
90000001159	4700017	300/35VR18	(87V)	MT10.5	10.00 - 11.00	300 / 11.8	664 / 26.1	6.5	497 / 795.2

Cobra AV71 Universal

90000001169	4710014	130/60R23	65V	MT3.50	3.50 - 4.00	124 / 4.9	744 / 29.3	4.8	442 / 707.2
-------------	---------	------------------	-----	--------	-------------	-----------	------------	-----	-------------



Venom-R


- Sizes to fit custom bikes
- Low noise levels
- Robust radial construction to cope with heavy loads
- Good stability in corners

Venom

- Low noise levels
- Excellent cornering stability
- Reinforced fitments available for bikes carrying heavy loads

AM20/AM21

- Accomplished all-rounder
- Tread pattern designed to give first class water dispersal under the contact patch.





Venom-R

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Venom-R AM42 Rear									
90000001214	4953913	180/55R18	74V	MT5.50	5.50 - 6.00	177 / 7.0	662 / 26.1	7.0	500 / 800.3
90000001215	4955413	330/30R17	87V	MT12.00	11.00 - 12.25	330 / 12.9	634 / 25.0	6.5	522 / 835.6



Venom

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Venom AM41 Front									
90000000762	2808012	80/90-21	48H	MT1.85	1.60 - 2.15	83 / 3.3	688 / 27.1	5.2	479 / 766.4
90000000763	2808112	90/90-21	54H	MT2.15	1.85 - 2.50	94 / 3.7	701 / 27.6	5.2	468 / 748.8
90000000753	2800091	120/70-21*	68H	MT3.50	2.75 - 3.75	120 / 4.7	709 / 27.9	4.8	467 / 747.3
90000000759	2806612	130/70B18*	69H	MT3.50	3.00 - 4.00	130 / 5.1	647 / 25.5	4.7	513 / 820.8
90000000769	2809713	140/70B18	67V	MT3.75	3.50 - 4.50	139 / 5.5	658 / 25.9	4.7	503 / 805.2
Venom AM42 Rear									
90000000778	2844912	160/80B16*	81H	MT4.00	3.50 - 4.50	167 / 6.6	665 / 26.2	8.7	505 / 808.0



AM20/AM21

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
AM20 Front									
90000000750	2748812	90/90-19	52H	MT2.15	1.85 - 2.50	95 / 3.7	647 / 25.5	5.0	512 / 819.2
90000000749	2748112	90/90-21	54H	MT2.15	1.85 - 2.50	93 / 3.7	700 / 27.6	5.0	474 / 758.4
90000000748	2745012	130/90-16*	73H	3.00D	2.50 - 3.50	138 / 5.4	638 / 25.1	5.0	525 / 840.0
AM21 Rear									
90000000751	2755019	MT90-16*	74H	3.00D	2.50 - 3.50	139 / 5.5	650 / 25.6	7.8	517 / 827.2
90000000752	2759012	230/60B15	86H	MT6.25	5.50 - 7.00	230 / 9.1	658 / 25.9	8.6	508 / 812.8

*Reinforced | MT90-16 equivalent to 130/90-16



Roadrider


- Covers a large range of bikes
- Large contact patch for excellent grip at all lean angles
- Comprehensive range of sizes – from modern to more traditional
- Performance upgrade for classic and vintage motorcycles

Roadrunner (AM9)

- A great value all-rounder
- Can be fitted either to the front or rear of your bike

Gangster

- Designed for retro cruisers and customs, it features a 2³/₄" whitewall
- Insures ride and stability
- Can be fitted either to the front or rear of your bike





Roadrider

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Roadrider AM26 Front									
90000000657	2268113	90/90-21	54V	MT2.15	1.85 - 2.50	98 / 3.9	698 / 27.5	5.0	474 / 759.0
Roadrider AM26 Rear									
90000000668	2276013	120/90-18	65V	MT2.75	2.50 - 3.00	129 / 5.1	675 / 26.6	7.5	491 / 784.9
90000000672	2277413	150/80V16	(71V)	MT3.50	3.00 - 4.25	161 / 6.3	655 / 25.8	7.5	506 / 808.9
90000000663	2270313	MT90-16*	(74V)	3.00D	2.50 - 3.50	137 / 5.4	646 / 25.4	7.5	513 / 820.1
Roadrider AM26 Universal									
90000000656	2267513	3.25-19	54V	MT2.15	1.85 - 2.50	98 / 3.9	664 / 26.1	5.0	499 / 797.9
90000000683	2289013	100/90-19	57V	MT2.50	2.15 - 2.75	109 / 4.3	671 / 26.4	5.6	493 / 789.6



Roadrunner AM9

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Roadrunner AM9 Universal									
90000000599	1607910	4.10-19 TT	61H	2.50	1.85 - 3.00	102 / 4.0	667 / 26.3	7.0	507 / 811.2



Gangster

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Gangster Universal									
90000000738	2665009	MT90-16**WW	74H	3.00	2.50 - 3.50	140 / 5.5	648 / 25.5	8.2	511 / 817.6

*Reinforced | MT90-16 equivalent to 130/90-16 | WW = White Wall



Speedmaster MKII (AM6)


- Classic ribbed front tyre
- Speed rated to 112 mph/180kmh
- Curved tread profile and ribbed pattern so typical of classic bikes
- Best used in conjunction with the Safety Mileage MKII rear tyre

Safety Mileage MKII (AM7)

- Classic block pattern rear tyre
- Available in a variety of different tread patterns designed to suit older bikes
- Modern rubber compounds deliver enhanced durability and performance
- Best used in conjunction with the Speedmaster MkII front tyre

Sidecar Triple Duty

- A great all-rounder for every position
- Although especially suited to the front wheel, these tyres can be used in any position on a sidecar outfit





Speedmaster MKII AM6

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Speedmaster AM6									
90000000618	1727410	3.00-19* TT	54S	1.85	1.60 - 2.15	78 / 3.1	641 / 25.2	3.5	517 / 827.2
90000000611	1659401	3.00-21* TT	57S	1.85	1.60 - 2.15	76 / 3.0	691 / 27.2	3.6	481 / 769.6
90000000607	1657501	3.25-19 TT	54S	2.15	1.85 - 2.50	86 / 3.4	658 / 25.9	4.0	497 / 795.2
90000000608	1657601	3.50-19 TT	57S	2.15	1.85 - 2.50	92 / 3.6	682 / 26.9	3.6	482 / 771.2



Safety Mileage MKII AM7

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Safety Mileage MK II AM7									
90000000619	1727610	3.50-19 TT ①	57S	2.15	1.85 - 2.50	93 / 3.7	682 / 26.9	8.1	482 / 771.2
90000000601	1646801	4.00-18 TT ①	64S	2.50	2.15 - 3.00	111 / 4.4	677 / 26.7	8.1	488 / 780.8
90000000602	1720011	4.00-19 TT ②	65H	2.50	2.15 - 3.00	110 / 4.3	702 / 27.6	9.2	471 / 753.6
90000000616	1694901	5.00-16 TT ③	69S	3.00	3.00 - 3.50	131 / 5.2	669 / 26.3	8.1	499 / 798.4



Sidecar Triple Duty

US Code	European Code	Tyre Size	Service Index	Rec Rim	Rim min-max	Overall Width mm/inches	Overall Diameter mm/inches	Depth mm	Revs per km/mile
Sidecar Triple Duty									
90000000617	1697605	3.50-19 TT	57L	2.15	1.85 - 2.50	92 / 3.6	679 / 26.7	9.4	491 / 785.6

*Reinforced | TT = Tube Type

IMPORTANT NOTE

While great care has been made to ensure the data contained in this booklet is accurate and up to date, Cooper Tire & Rubber Europe Ltd cannot accept any responsibility for any errors or omissions contained within. We reserve the right to alter specifications at any time and without prior notice.

This issue supercedes all previous databooks/fitment guides.

Due to the ever changing nature of fitment guides, we strongly recommend checking our website for the most up to date information at **www.AvonMoto.com**

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
American Ironhorse								
Bandit	1997	1999	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Bandit	1999	2001	2.4 bar (34psi)	2.8 bar (40psi)	130/70R18 63H Cobra	250/40VR18 (81V) Cobra		
Bandit	2002	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Bandera	2008	2010	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	240/40VR18 (79V) Cobra		
Classic / Classic Chop	1997	2010	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Classic	2002	2010	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	200/55VR18 (79V) Cobra		
Judge	2008	2010	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	240/40VR18 (79V) Cobra		
Legend	2001	2002	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	200/55VR18 (79V) Cobra		
Legend	2003	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
LSC Chopper	2004	2006	2.2 bar (32psi)	2.8 bar (40psi)	No Avon Tyre Fitment	No Avon Tyre Fitment		
Outlaw	1997	2000	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Outlaw	2001	2001	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	200/55VR18 (79V) Cobra		
Outlaw	2002	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Ranger	2000	2003	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Slammer	1997	2000	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Slammer	2001	2001	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	200/55VR18 (79V) Cobra		
Slammer	2002	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Slammer	2007	2010	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
Stalker	1997	2000	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Stalker	2003	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Tejas	2001	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Thunder	1997	2000	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Thunder	2002	2002	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	200/55VR18 (79V) Cobra		
Thunder	2003	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Texas Chopper	2002	2004	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Texas Chopper	2008	2010	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	300/35VR18 (87V) Cobra		
Big Bear Chopper								
GTX	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
Venom Chopper / ProStreet Mis Behavin	-	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Paradox ProStreet	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	130/60R23 65V Cobra	280/40VR20 (89V) Cobra		
Athena Chopper / ProStreet	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	300/35VR18 (87V) Cobra		
Devils Advocate Chopper / ProStreet	-	-	-	-	No Avon Tyre Fitment	No Avon Tyre Fitment		
Merc Rigid/Softail	-	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Screamin Demon	-	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Reaper Chopper Softail	-	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
Sled Chopper / ProStreet	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	300/35VR18 (87V) Cobra		
The Sled 250/300 Chopper	-	2007	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	300/35VR18 (87V) Cobra		
The Sled 250 ProStreet	-	2007	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra		
The Sled 300 ProStreet	-	2007	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	300/35VR18 (87V) Cobra		

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
Big Dog								
Bulldog	2001	2001	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Bulldog	2002	2002	2.2 bar (32psi)	2.8 bar (40psi)	100/90-19 57H Cobra	250/40VR18 (81V) Cobra		
Bulldog	2003	2004	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	250/40VR18 (81V) Cobra		
Bulldog	2005	2005	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	250/40VR18 (81V) Cobra		
Bulldog	2007	2007	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
Bulldog	2009	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	250/40VR18 (81V) Cobra		
Boxer	2002	2003	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
Boxer	2004	2004	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	200/55VR18 (79V) Cobra		
Chopper	2003	2004	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	180/55ZR18 (74W) Cobra		
Chopper	2005	2007	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	250/40VR18 (81V) Cobra		
Coyote	2009	-	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	250/40VR18 (81V) Cobra		
Husky	2002	2003	2.2 bar (32psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra		
K9	2005	-	2.8 bar (40psi)	2.9 bar (42psi)	MH90-21 56V Cobra	300/35VR18 (87V) Cobra		
Mastiff	2003	2006	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	250/40VR18 (81V) Cobra		
Mastiff	2007	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
Mutt	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	250/40VR18 (81V) Cobra		
PitBull	2002	2003	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	250/40VR18 (81V) Cobra		
PitBull	2004	2004	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	250/40VR18 (81V) Cobra		
PitBull	2005	2007	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
PitBull	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	130/60R23 65V Cobra	280/40VR20 (89V) Cobra		
Prosport	2002	2004	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	180/55ZR18 (74W) Cobra		
Ridgeback	2005	2006	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	300/35VR18 (87V) Cobra		
Ridgeback	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	MH90-21 56V Cobra	330/30R17 87V Venom R		
Wolf	-	2007	2.2 bar (32psi)	2.8 bar (40psi)	110/80V18 (58V) Roadrider	180/55ZR18 (74W) Cobra		
Wolf	2009	-	2.2 bar (32psi)	2.8 bar (40psi)	110/80V18 (58V) Roadrider	220/50R20 83V Cobra		
Bourget								
Cobra, Viper 2, Retro Chopper	2008	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	330/30R17 87V Venom R	3.50	
Bobber	2007	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	200/50ZR17 (75W) Storm 2 Ultra	3.50	
Dragon, Kruzer Bagger, Python, Fat Daddy	2007	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	330/30R17 87V Venom R	3.50	
Black Jack Ace / Joker	2005	2005	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra	3.50	
Harley Davidson								
XL 883C Sportster Custom	1999	2003	2.5 bar (36psi)	2.7 bar (39psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H Cobra (also WW)	2.15	3.00
XL 883C Sportster Custom	2004	-	2.5 bar (36psi)	2.7 bar (39psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
XL 883R Sportster	2002	2003	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XL 883 / R / L Sportster / Low / Iron / Nightster	2004	-	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
XL 883 Super Low	2011	-	2.5 bar (36psi)	2.7 bar (39psi)	120/70ZR18 (59W) Storm 2 Ultra	150/60ZR17 (66W) 3D Ultra Sport	3.50	4.50
XLH 883 Sportster	1996	2003	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XLH 883 Sportster Deluxe / Hugger	1986	1995	2.5 bar (36psi)	2.7 bar (39psi)	90/90-19 52V Roadrider	MT90B16 74H Cobra, MT90-16 (74V) Roadrider	2.15	3.00
XLH 883 Sportster Deluxe	1991	1995	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XLH 883 Sportster Hugger	1991	2003	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XLS / XLX 1000 Sportster, Roadster	1980	1985	2.5 bar (36psi)	2.7 bar (39psi)	90/90-19 52V Roadrider	MT90B16 74H Cobra, MT90-16 (74V) Roadrider	2.15	3.00
XLH 1100 Sportster	1980	1987	2.5 bar (36psi)	2.7 bar (39psi)	90/90-19 52V Roadrider	MT90B16 74H Cobra, MT90-16 (74V) Roadrider	2.15	3.00
XLH1200 Sportster	1988	2003	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H Cobra (also WW)		

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
Harley Davidson								
XL1200C Sportster Custom	1996	2003	2.5 bar (36psi)	2.7 bar (39psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H Cobra (also WW)	2.15	3.00
XL1200C Sportster Custom	2004	-	2.5 bar (36psi)	2.7 bar (39psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
XL 1200 S Sportster Sport	1996	2003	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XL1200R / L / N Sportster Roadster / Low	2004	-	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
XL 1200 X Forty-Eight	2010	-	2.5 bar (36psi)	2.7 bar (39psi)	MT90B16 74H Cobra (also WW)	150/80B16 77V Cobra (also WW)	3.00	3.00
XR 1000	1983	1985	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider	2.15	3.00
XR 1200	2008	-	2.5 bar (36psi)	2.7 bar (39psi)	120/70ZR18 (59W) Storm 2 Ultra	180/55ZR17 (73W) Storm 2 Ultra	3.50	5.50
VR 1000	1995	1995	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW), 57V Roadrider	MT90B16 74H Cobra (also WW), MT90-16 (74V) Roadrider		
FLHR / I / CI Road King / Classic	1994	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLHR / I / CI SE Road King / Classic	2004	2008	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHR Road King	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHRC Road King Classic	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHRS / I Road King Custom	2004	2007	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHRSEI 2 Screamin' Eagle Road King	2003	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLHRSEI 3, 4 Screamin' Eagle Road King	2007	-	-	-	130/70-18 No Avon Tyre Fitment	170/60R17 No Avon Tyre Fitment	3.50	4.50
FLHS Electra Glide Sport	1988	1993	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLH / C / T / TC 80 Electra Glide	1980	1990	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H Cobra (also WW)	3.00	3.00
FLHT Electra Glide Standard	1995	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLHT / I Electra Glide Standard	2004	2008	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHT / I Electra Glide Standard	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHTC / I Electra Glide Classic / Ultra Classic	1991	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTC Electra Glide Classic	2004	2009	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTC Electra Glide Classic	2010	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHTCSE Screamin' Eagle Electra Glide	2003	2005	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTCU / I Ultra Classic Electra Glide	1983	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTCUI Ultra Classic Electra Glide	2004	2008	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTCUI Ultra Classic Electra Glide	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHTCUSE Screamin' Eagle Electra Glide Ultra Classic	2006	-	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHTCUSE4 CVO Electra Glide Ultra Classic	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHTCUSE5 CVO Electra Glide Ultra Classic	2010	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHTK Electra Glide Ultra Limited	2010	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHX / I Street Glide	2006	2008	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLHX / I Street Glide	2009	2009	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLHX / I Street Glide	2010	-	2.6 bar (38psi)	3.0 bar (44psi)	130/70B18 69H Venom	180/65B16 81H Cobra	3.50	5.00
FLHXSE CVO Street Glide	2010	-	-	-	130/70R18 No Avon Tyre Fitment	180/55R18 No Avon Tyre Fitment	3.50	5.00
FLST / C Heritage Softail Classic	1987	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
Harley Davidson								
FLSTC / I Heritage Softail Classic	2004	-	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	150/80B16 77V Cobra (also WW)	3.00	3.00
FLST / I Heritage Softail	2006	2007	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	150/80B16 77V Cobra (also WW)	3.00	3.00
FLSTF/ I Fat Boy	1990	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLSTF/ I Fat Boy	2004	2006	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	150/80B16 77V Cobra (also WW)	3.00	3.00
FLSTF/B I Fat Boy / Lo	2007	-	-	-	140/75R17 67V Cobra	200/55R17 78V Cobra	3.50	6.00
FLSTFSE Screamin’ Eagle Fat Boy	2006	-	-	-	140/75R17 67V Cobra	200/55R17 78V Cobra	3.50	6.00
FLSTN Heritage Nostalgia	1993	1999	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLSTN / I Softail Deluxe	2005	-	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLSTSB Cross Bones	2008	-	2.6 bar (38psi)	2.8 bar (40psi)	MT90B16 74H Cobra (also WW)	200/55R17 78V Cobra	3.00	3.00
FLSTS / I Heritage Springer	1997	2002	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLSTS / I Heritage Springer	2003	2007	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLSTSC / I Softail Springer Classic	2005	-	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	150/80B16 77V Cobra (also WW)	3.00	3.00
FLSTSE CVO Softail Convertible	2010	-	-	-	130/70R18 No Avon Tyre Fitment	200/50R18 No Avon Tyre Fitment	3.50	6.00
FLTC / U Tour Glide Classic / Ultra	1980	1996	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLT-C/U Ultra Classic	1991	1996	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLTR / I Road Glide	1998	2003	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	3.00	3.00
FLTR / I Road Glide	2004	2008	2.6 bar (38psi)	3.0 bar (44psi)	MT90B16 74H Cobra (also WW)	140/90B16 77H Cobra (also WW)	3.00	3.00
FLTR / I Road Glide	2009	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FLTRX Road Glide Custom	2010	-	2.6 bar (38psi)	3.0 bar (44psi)	130/70B18 69H Venom	180/65B16 81H Cobra	3.50	5.00
FLTRSE3 CVO Road Glide	2009	-	-	-	130/70R18 No Avon Tyre Fitment	180/55R18 No Avon Fitment	3.50	5.00
FLTRU Road Glide Ultra	2011	-	2.6 bar (38psi)	3.0 bar (44psi)	130/80B17 65H Cobra	180/65B16 81H Cobra	3.00	5.00
FXCWC Softail Rocker / C	2008	-	2.5 bar (36psi)	2.8 bar (40psi)	90/90-19 52V Roadrider	240/40VR18 (79V) Cobra	2.15	8.00
FXD Dyna Super Glide	1995	2001	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXD / I Dyna Super Glide	2002	2005	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.50	3.00
FXD / I Dyna Super Glide	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra	160/70R17 79V Storm 2 Ultra	2.50	4.50
FXD / I Dyna Switchback	2012	-	2.5 bar (36psi)	2.8 bar (40psi)	130/70R18 63H Cobra	160/70R17 79V Storm 2 Ultra		
FXDB Daytona / Sturgis	1991	1992	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDBI Dyna Street Bob	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra	160/70R17 79V Storm 2 Ultra	2.50	4.50
FXDI 35 35th Anniversary Super Glide	2006	2007	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra	160/70R17 79V Storm 2 Ultra	2.50	4.50
FXDC Dyna Glide Custom	1992	1992	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDC / I Dyna Super Glide Custom	2005	2005	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.50	3.00
FXDC / I Dyna Super Glide Custom	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra	160/70R17 79V Storm 2 Ultra	2.50	4.50
FXDF Dyna Fat Bob	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	MT90B16 74H Cobra	180/70R16 77H Cobra	3.00	5.00
FXDF CVO Dyna Fat Bob	2009	-	2.5 bar (36psi)	2.8 bar (40psi)	MT90B16 74H Cobra	180/70R16 77H Cobra	3.00	5.00
FXDL Dyna Low Rider	1993	2001	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDL Dyna Low Rider	2002	2005	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.50	3.00
FXDLI Dyna Low Rider	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra	160/70R17 79V Storm 2 Ultra	2.50	4.50
FXDS Dyna Glide Convertible	1994	2000	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDSE Dyna Screamin Eagle	2007	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	170/60ZR17 (72W) Storm 2 Ultra	2.15	4.50

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
Harley Davidson								
FXWG Wide Glide	1981	1986	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDWG Dyna Wide Glide	1993	2001	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDWG Dyna Wide Glide	2002	2005	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXDWGI Dyna Wide Glide	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	160/70R17 79V Storm 2 Ultra	2.15	4.50
FXDWGI Dyna Wide Glide	2010	-	-	-	80/90-21 No Avon Tyre Fitment	180/60B17 No Avon Tyre Fitment	2.15	4.50
FXDWG2 Switch Blade	2001	2001	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	4.50
FXDWG2 Sabre	2002	2002	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXDX Dyna Super Glide Sport	1999	1999	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDX Dyna Super Glide Sport	2000	2001	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXDX / I Dyna Super Glide Sport	2002	2005	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXDXT Dyna Super Glide T-Sport	2001	2001	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H, or 140/90B16 77H Cobra (also WW)	2.15	3.00
FXDXT Dyna Super Glide T-Sport	2002	2004	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXE / F Super Glide / Fat Bob	1980	1985	2.5 bar (36psi)	2.8 bar (40psi)	90/90-19 52V Roadrider	MT90B16 74H, or 140/90B16 77H Cobra	2.15	3.00
FXLR Low Rider Custom	1987	1994	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXR Super Glide	1986	1994	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXRS Low Rider / Convertible	1983	1993	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXRS Low Rider / Convertible / Sport Edition	1983	1993	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXRT Sport Glide / II	1982	1992	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXSB Low Rider	1983	1985	2.5 bar (36psi)	2.8 bar (40psi)	90/90-19 52V Roadrider	MT90B16 74H Cobra	2.15	3.00
FXST / I Softail / Softail Standard	1984	2003	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXST / I Softail Standard	2004	2005	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXST / I Softail Standard	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	200/55R17 78V Cobra	2.15	6.00
FXSTB / I Softail Night Train	1995	2002	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXSTB / I Softail Night Train	2003	2005	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXSTB / I Softail Night Train	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	200/55R17 78V Cobra	2.15	6.00
FXSTC Softail Custom	1987	1999	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXSTC Softail Custom	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	200/55R17 78V Cobra	2.15	6.00
FXSTD / I Softail Deuce	2000	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	160/70R17 79V Storm 2 Ultra	2.15	4.50
FXSTDSE Screamin' Eagle Deuce	2003	2003	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	160/70R17 79V Storm 2 Ultra	2.15	4.50
FXSTDSE2 Screamin' Eagle Deuce	2004	2004	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 No Avon Tyre Fitment	180/60-17 No Avon Tyre Fitment	2.15	4.50
FXSTSSE Screamin' Eagle Softail Springer	2007	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	200/55R17 78V Cobra	2.15	6.00
FXSTS / I Softail Springer	1989	2003	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXSTS / I Softail Springer	2004	2005	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	150/80B16 77V Cobra (also WW)	2.15	3.00
FXSTS / I Softail Springer	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra	200/55R17 78V Cobra	2.15	6.00
FXSTSSE3 CVO Softail Springer	2009	-	-	-	130/70R18 No Avon Tyre Fitment	240/55R18 No Avon Tyre Fitment	3.50	8.00
FXR/D Grand Tour / Super Glide	1986	1994	2.5 bar (36psi)	2.8 bar (40psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00
FXSTSB Softail Springer Bad Boy	1995	1997	2.5 bar (36psi)	2.8 bar (40psi)	MH90-21 56V Cobra (also WW)	MT90B16 74H (also WW), 140/90B16 77H Cobra (also WW)	2.15	3.00

MAKE	YEAR		PRESSURE		RECOMMENDED FRONT FITMENT	RECOMMENDED REAR FITMENT	RIM	
	FROM	TO	FRONT	REAR			FRONT	REAR
Harley Davidson								
VRSC V-Rod Muscle	2009	-	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	240/40VR18 (79V) Cobra	3.00	8.00
VRSCA / B V-Rod	2002	2006	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	180/55ZR18 (74W) Cobra	3.00	5.50
VRSCAW V-Rod	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	240/40VR18 (79V) Cobra	3.00	8.00
VRSCD Night Rod	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	180/55ZR18 (74W) Cobra	3.00	5.50
VRSCDX Night Rod Special	2006	-	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	240/40VR18 (79V) Cobra	3.00	8.00
VRSCR Street Rod	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	180/55ZR18 (74W) Cobra	3.00	5.50
VRSCSE Screamin’ Eagle V-Rod	2005	2005	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	180/55ZR18 (74W) Cobra	3.00	5.50
VRSCSE / X Screamin’ Eagle V-Rod	2006	2008	2.5 bar (36psi)	2.8 bar (40psi)	120/70ZR19 (60W) Cobra	240/40VR18 (79V) Cobra	3.00	8.00
Steed								
Performance Sport, Cruiser, Touring	-	2008	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	300/35VR18 (87V) Cobra		
Boulevard Sport, Chopper	-	2008	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	300/35VR18 (87V) Cobra		
Covington Custom	-	2008	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	300/35VR18 (87V) Cobra		
Springer Bobber / Vintage Chopper	-	2008	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
300-SM Bronco / 300-VM Appaloosa	2006	-	2.2 bar (32psi)	2.8 bar (40psi)	120/70-21 68V Cobra	300/35VR18 (87V) Cobra		
300-LM Centaur / 300-PM Quarterhorse	2006	-	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	300/35VR18 (87V) Cobra		
300-FM Clydesdale / 300-CM Thoroughbred	2006	-	2.2 bar (32psi)	2.8 bar (40psi)	130/70R18 63H Cobra	300/35VR18 (87V) Cobra		
Victory								
V92C Sport	1999	2001	2.5 bar (36psi)	2.9 bar (42psi)	120/70ZR17 (58W) Storm 2 Ultra, 3D Ultra Sport/Supersport	180/55ZR17 (73W) Storm 2 Ultra, 3D Ultra Sport/Supersport	3.00	3.50
V92SC Deluxe, Cruiser	1999	2000	2.5 bar (36psi)	2.7 bar (39psi)	100/90-19 57H Cobra (also WW)	MT90B16 74H Cobra (also WW)	3.50	5.50
V92TC Touring Cruiser	2005	2005	2.5 bar (36psi)	2.7 bar (39psi)	MT90B16 74H Cobra	160/80B16 81H Venom	3.00	3.50
Kingpin / Kingpin 8-Ball, Ness Signature Kingpin	2003	-	2.5 bar (36psi)	2.8 bar (40psi)	130/70R18 63H Cobra	180/55ZR18 (74W) Cobra	3.00	5.00
Kingpin Tour / Low	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	130/70R18 63H Cobra	180/55ZR18 (74W) Cobra	3.00	5.00
Hammer / Hammer 8 Ball / S	2005	-	2.5 bar (36psi)	2.8 bar (40psi)	130/70R18 63H Cobra	250/40VR18 (81V) Cobra	3.00	8.50
8 Ball	2003	2006	2.5 bar (36psi)	2.8 bar (40psi)	80/90-21 48H Venom	180/55ZR18 (74W) Cobra	2.15	5.00
Vegas, Ness Signature Vegas	2003	2006	2.5 bar (36psi)	2.8 bar (40psi)	80/90-21 48H Venom	180/55ZR18 (74W) Cobra	2.15	5.00
Vegas / Vegas 8 Ball	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	90/90-21 54H Venom	180/55ZR18 (74W) Cobra	2.15	5.00
Vegas Jackpot / Ness Signature Veg Jac.	2006	2006	2.5 bar (36psi)	2.8 bar (40psi)	80/90-21 48H Venom	250/40VR18 (81V) Cobra	2.15	8.50
Vegas Jackpot / Ness	2007	-	2.5 bar (36psi)	2.8 bar (40psi)	90/90-21 54H Venom	250/40VR18 (81V) Cobra	2.15	8.50
Vision Street / Ness / Tour / Cross Roads / Cross Country	2008	-	2.5 bar (36psi)	2.9 bar (42psi)	130/70R18 63H Cobra	180/60R16 80H Cobra	3.00	5.00
Vision 8 Ball	2009	-	2.5 bar (36psi)	2.9 bar (42psi)	130/70R18 63H Cobra	180/60R16 80H Cobra	3.00	5.00



Cobra AV71 on a Harley Bagger

 **AVON**
TYRES